Appendix A2: Australian FASD Diagnostic Assessment **Summary Form**

AUSTRALIAN FASD DIAGNOSTIC ASSESSMENT SUMMARY FORM

PATIENT DETAILS

	NAME						
Sex		□ Fe	emale	<u> </u>	□ Male	☐ Other	
Date of birth (DD/MM/YYYY)		/		/ Age	e at assessment:		
Racial/ethnic background							
Hospital number (if applicable)							
ALCOHOL EXPOSURE SUMMARY							
Source of reported information on alcohol use: Birth mother Other (specify)							
In your judgement what is the reliability of the i				•		J	
In your judgement was there high-risk				•			
Prenatal alcohol exposure: ☐ Unknown exposure ☐ No exposure ☐ Confirmed exposure ☐ Confirmed-high risk exposure							
SENTINEL FACIAL FEATURES SUMMARY							
Number of Sentinel Facial Features (PFL 2 SD or more below the mean, philtrum rank 4 or 5, upper lip rank 4 or 5):							
□ 0	□1		2	□ 3			
NEURODEVELOPMENTAL DOMAINS SUN	ИMARY						
Neurodevelopmental Domain	Impairment						
1 Brain structure/Neurology	□ No	1		☐ Yes	☐ Not ass	essed	
2 Motor Skills	☐ None			☐ Some	☐ Severe	☐ Not assessed	
3 Cognition	☐ None			☐ Some	☐ Severe	☐ Not assessed	
4 Language	☐ None			☐ Some	☐ Severe	☐ Not assessed	
5 Academic achievement	☐ None			☐ Some	☐ Severe	☐ Not assessed	
6 Memory impairment	☐ None			☐ Some	☐ Severe	☐ Not assessed	
7 Attention				☐ Some	☐ Severe	☐ Not assessed	
7 Attention	☐ None			□ 30IIIe	□ Severe	□ NOt assessed	
8 Executive function, including impulse control and hyperactivity	□No	ne		☐ Some	☐ Severe	☐ Not assessed	
9 Affect regulation	□No	ne		☐ Some	☐ Severe	☐ Not assessed	
10 Adaptive behavior, Social Skills, or Social Communication	□ No	ne		□ Some	☐ Severe	☐ Not assessed	
Number of neurodevelopmental domains with evidence of severe impairment □ None □ 1 □ 2 □ 3 or more (specify)							
				(-1, 2-1)			
Other Prenatal or Post-natal risk/exposure				Indiana		□ Hisab wielt	
Other prenatal risk summary: No known				Unknown risk	☐ Some risk	☐ High risk	
Postnatal risk summary: ☐ No known risk ☐ Unknown risk ☐ Some risk ☐ High risk						⊔ High risk	
Growth summary							
Was an unexplained deficit in height or weight $< 3^{rd}$ percentile identified at any time? \Box Yes \Box No							

DIAGNOSIS:

For derivation of the Australian FASD diagnostic categories, please refe	er to the Australian FASD Criteria and the FASD Diagnostic
Pathway Algorithm below (also see Table 1 and Figure 1 in the Guide).	Record the diagnosis below.

Indicate as applicable:
 □ FASD with 3 sentinel facial features □ FASD with < 3 sentinel facial features □ At risk of FASD □ Incomplete assessment e.g. further investigation/information needed □ Other diagnoses (with or without FASD)
Clinical notes: